

Association Business

INDEX TO VOLUME 64

Author Index

- ADAMS, S.S., *see* Johnson, K.B.
- ADAMS, S.S., D.I. ROUSE and R.L. BOWDEN. Performance of alternative versions of POTWIL: a computer model that simulates the seasonal growth of *Verticillium*-infected potato crops, 429, (abst).
- AGUILAR, J., *see* Ezeta, F.
- ALLEN, R.D., *see* Shea, D.
- ALSADON, A.A. and K.W. KNUTSON. Yield responses of nine cultivars of micropropagated potato plants grown in the field under mulch and bare soil conditions, 429, (abst).
- ALSADON, A.A. and H. TIMM. Respiration and sprout growth response of seed potato pieces to gibberellic acid and ethephon, 430, (abst).
- AMORÓS, W. and V. OTAZÚ. Potato black berry formation due to boron deficiency, 430, (abst).
- de ARCAUTE, R., *see* Tovar, P.
- BAMBERG, J.B. and R.E. HANNEMAN, JR. Characterization of a gibberellic acid related dwarfing locus in *S. tuberosum* L., 431, (abst).
- BANVILLE, G. *see* Otrysko, B.
- BAROUDI, A., *see* Gould, W.A.
- BEAN, G.A., *see* Hazel, W.J.
- BHATIA, S.K., *see* Shea, D.
- BILSKI, J.J., D.C. NELSON, A. MAIANU and R.L. CONLON. Response of potatoes and related wild species to salinity, 431, (abst).
- BISHOP, A.L., *see* Slack, S.A.
- BISHOP, A.L. and S.A. SLACK. Effect of inoculum dose and preparation, strain variation, and plant growth conditions on the eggplant assay for bacterial ring rot, 227.
- BLAND, W.L., C.B. TANNER and E.A. MAHER. Vapor conductance of wounded potato tuber tissue, 197.
- BOE, A.A., *see* Lopez, D.F.
- BOFU, S., QU DON YU and P. VANDER ZAAG. True potato seed in China: past, present and future, 321.
- BOUCHER, A., *see* King, R.B.
- PRAUN, A.L. and D.C. OPGENORTH. Comparative detectability of potato leafroll virus, potato virus X and potato virus S using enzyme-linked immunosorbent assay (ELISA) and serologically specific electron microscopy (SSEM), 205.
- BRUSH, S., *see* Quiros, C.
- BUGBEE, W.M., *see* Gudmestad, N.C.
- BUSHWAY, R.J., S.A. SAVAGE and B.S. FERGUSON. Inhibition of acetyl cholinesterase by solanaceous glycoalkaloids and alkaloids, 409.
- CAMPBELL, G.S., *see* Kunkel, R.
- CARLSON, H., H. FERRIS and B. WESTERDAHL. Crop rotation for Columbia root-knot management in potatoes, 431, (abst).
- CARTER, C. Differences in pyrethroid efficacy among *Solanum* clones resistant and susceptible to Colorado potato beetle, 432, (abst).
- CARTER, C.D. Screening *Solanum* germplasm for resistance to Colorado potato beetle, 563.
- CARTER, C.D., *see* Rahimi, F.R.

- CELETTI, M., *see* Platt, H.W.
- CELETTI, M.J. and H.W. PLATT. A new cause for an old disease: *Verticillium dahliae* found on Prince Edward Island, 209.
- CHANDRE, R., *see* Tovar, P.
- CHASE, R.W., *see* Pierce, F.J.
- CHAUDHRY, A.H., KH.I. HUSSAIN, A.H. TARIQ, S.M.A. SHAH and R.E. WEBB. Laal-e-Faisal: a new red skin potato variety adapted to Pakistan, 397.
- CHUNGCHAROEN, A., J.H. von ELBE, R.M. WHEELER and T.W. TIBBITTS. Glycoalkaloids of potato tubers grown under controlled environments, 432, (abst).
- COFFIN, R., *see* Slimmon, T. and Tai, G.
- COLEMAN, W.K. Dormancy release in potato tubers: a review, 57.
- CONCILIO, L. and S.J. PELOQUIN. Tuber yield of true potato seed families from different breeding schemes, 81.
- CONLON, R.L., *see* Bilski, J.J. and Johnson, K.B.
- COSTELLOE, B., *see* Susnoschi, M.
- CRAIG, J.C., *see* Kozempel, M.
- DARMO, E. and S.J. PELOQUIN. Yield, plant and tuber characteristics of 4x clones from 4x x 2x crosses, 433, (abst).
- DAVIS, J.R., *see* Mohan, S.K.
- DEAHL, K.L. and S.L. SINDEN. A technique for rapid detection of leptine glycoalkaloids in potato foliage, 285.
- DEAHL, K.L. and S.L. SINDEN. 1986 screening of IR-1 *Solanum* accessions for foliar glycoalkaloid level and composition, 433, (abst).
- De BOER, S.H. The relationship between bacterial ring rot and North American seed potato export markets, 683.
- DeBUHR, L., *see* Secor, G.A.
- DeJONG, H. Inheritance of pigmented tuber flesh in cultivated diploid potatoes, 337.
- DESBOROUGH, S.L., *see* Liedl, B.E. and Smith, J.A.
- DODD, J.B. and R.E. HANNEMAN, JR. An examination of reproductive failure following inter-EBN crosses among tetraploid, tuber-bearing *Solanum* species, 434, (abst).
- DODDS, J.H., *see* Tovar, P.
- DOUCHES, D.S. and C.F. QUIROS. Transmission of heterozygosity through meiotic mechanisms: comparison of theoretical and experimental data, 434, (abst).
- DOUCHES, D.S., *see* Quiros, C.
- DUBE, Y., *see* Frève, A.
- EASTON, G.D., M.E. NAGLE and M.C. SEYMOUR. One and two years' cropping to immune hosts on *Verticillium dahliae* control and potato production of Russet Burbank potato, 434, (abst).
- von ELBE, J.H., *see* Chungcharoen, A.
- EASTON, G.D., M.E. NAGLE and M.D. SEYMOUR. Effect of potato variety and nitrogen on expression of ring rot in a seed growing area, 700, (abst).
- ESCOBAR, V., *see* Zaag, P. vander.
- ESTRELLA, D., F. MUNOZ and H. NARANJO. Production of certified seed from tissue culture. An innovative approach in Ecuador, 435, (abst).
- EWING, E.E., D. HEYM, J. SCHUSDEK, R.G. SNYDER and A.G. NICHOLSON. Evaluation of plant growth models for use in a systems analysis approach to potato IPM, 435, (abst).
- EWING, E.E., *see* Ewing, L.L. and Lorenzen, J.H.
- EWING, L., S. McMURRY and E.E. EWING. Cutting as a method of breaking dormancy in microtubers produced *in vitro*, 435, (abst).
- EWING, L.L., S.E. McMURRY and E.E. EWING. Cutting as a method of breaking dormancy in microtubers produced *in vitro*, 329.

- EZETA, F., J. AGUILAR and N. ZUNIGA. Micropropagation techniques in the Peruvian seed program, 436, (abst).
- FERGUSON, B.S., *see* Bushway, R.J.
- FERRIS, H., *see* Carlson, H. and Rivera, C.E.
- FITZPATRICK, A.H., *see* Tibbitts, T.W. and Wheeler, R.M.
- FLANDERS, K.L. and E.B. RADCLIFFE. Source of potato leafhopper invasions in potato and snap bean at Rosemount, Minnesota, 1984-85, 436, (abst).
- FLEWELLING, H.S. and S.J. PELOQUIN. Recovery of tuberosum and species phenotypes among progeny from crosses between haploid species hybrids, 437, (abst).
- FRANC, G.D. and M.D. HARRISON. Infectivity titration of *Corynebacterium sepedonicum* on Russet Burbank and Centennial Russet potatoes in Colorado, 438, (abst).
- FRANC, G.D. and M.D. HARRISON. The role of contaminated irrigation water in the recontamination of *Erwinia*-free seed potatoes, 438, (abst).
- FRANC, G.D., M.D. HARRISON and L.K. LAHMAN. Day-degree model for timing early-blight control in Colorado, 438, (abst).
- FRANCL, L.J., L.V. MADDEN, R.C. ROWE and R.M. RIEDEL. Validation of model that discriminates yield reductions due to potato early dying, 437, (abst).
- FRANCO, J., *see* Scurrah, M.
- FRÈVE, A. Modifications of a two row Holland transplanter for potato experimental plots, 439, (abst).
- FRÈVE A. Stem cutting technique increases screening pressure and hastens evaluation in a potato breeding program, 439, (abst).
- FRÈVE A. and Y. DUBÉ. Tackle-Sal-Uter: a system with computer, electronic scale and tackle for measuring specific gravity and other weights of potato, 439, (abst).
- GAKOVICH, D., *see* Slack, S.A.
- GALLENBERG, D.J., T.A. ZITTER and E.D. JONES. Comparison of three potato leafroll virus antisera and a single beet western yellows virus antiserum for luteovirus detection in potato, 97.
- GARCIA, R., *see* Pallais, N.
- GIBSON, R.W., *see* Radcliffe, E.B.
- GOLMIRZAIE, A.M. Performance of true potato seed synthetic populations, 440, (abst).
- GOLTZ, S.M., *see* Marra, M.C.
- GOSSELIN, B., *see* Mondy, N.I.
- GOTH, R.W., *see* Hazel, W.J.
- GOULD, W.A., S. PLIMPTON, A. BAROUDI and J. THOMAS. Factors affecting the oil content of potato chips, 440, (abst).
- GRASMICK, M.E. and S.A. SLACK. Detection of potato spindle tuber viroid in true potato seed by bioassay on Rutgers tomato, 235.
- GROSS, D.C., *see* Rhodes, D.J.
- GUDMESTAD, N.C., *see* Mogen, B.D., Nolte, P., Secor, G.A.
- GUDMESTAD, N.C. Recommendations of the National Task Force for Eradication of Bacterial Ring Rot, 695.
- GUDMESTAD, N.C. and W.M. BUGBEE. Occurrence of *Corynebacterium sepedonicum* in alternate hosts, 441, (abst).
- GUTBROD, O. Certification policies and practices in reference to bacterial ring rot, 677.
- HALDERSON, J.L., *see* Stark, J.C.
- HALSETH, D. and W. HEYM. Field data collection using a portable microcomputer, 441, (abst).
- HANAFI, D., D.W. RAGSDALE and E.B. RADCLIFFE. Secondary spread of potato leafroll virus in relation to aphid numbers, 442, (abst).
- HANNEMAN, JR., R.E., *see* Bamberg, J.B., Dodd, J.B. and Hosaka, H.
- HARRISON, M.D., *see* Franc, G.D.

- HAYNES, F.L., *see* Haynes, K.G.
- HAYNES, K.G., F.L. HAYNES and W.H. SWALLOW. Variability of flowering and 2n pollen production in diploid potatoes under high temperatures, 35.
- HAZEL, W.J., G.A. BEAN and R.W. GOTH. Effect of sterols on growth and development of *Phytophthora infestans*, 442, (abst).
- HEDSTROM, W.E., *see* Marra, M.C.
- HERTZ, L.B. Application of several herbicides alone and as tank mixtures for weed control in potatoes, 442, (abst).
- HEWS, R.D., *see* Marra, M.C.
- HEYM, D., *see* Ewing, E.E.
- HEYM, W., *see* Halseth, D.
- HILLER, L.K. and D.C. KOLLER. Foliar nutrition of Russet Burbank potatoes, 443, (abst).
- HOLM, D.G. Sangre selection studies, 443, (abst).
- HOLM, D.G., J.A. TWOMEY and M. WORKMAN. Ute Russet: an oblong russet potato cultivar with resistance to leafroll net necrosis and *Sclerotium rolfsii*, 559.
- HOOPEs, R.W., *see* Plaisted, R.L.
- HOSAKA, H. and R.E. HANNEMAN, JR. A rapid and simple method for determination of potato chloroplast DNA type, 345.
- HUESTIS, G., *see* Quiros, C.
- HUNG, Y.T. Batch anaerobic digestion of potato wastewaters mixed with sugar wastewaters with bio-augmentation, 444, (abst).
- HUSSAIN, DH. I., *see* Chaudhry, A.H.
- IRITANI, W.M., *see* Moore, T.M.
- IRITANI, W.M. and D.L. WELLER. The influence of physiological age, stem numbers and fertility on yield and grade of Russet Burbank potatoes, 291.
- JANSKY, S.H., *see* Lopez, D.F.
- JANSKY, S.H. Evaluation of 4x x 2x hybrids for yield, maturity, and tuber traits; 444, (abst).
- JOHANSEN, R.H., *see* Lopez, D.F.
- JOHNSON, K.B., R.L. CONLON, S.S. ADAMS, D.C. NELSON, D.I. ROUSE and P.S. TENG. Validation of a simple potato growth model in the north central United States, 444, (abst).
- JOHNSTON, H.W., *see* Platt, H.W.
- JONES, E.D., *see* Gallenberg, D.J.
- JOYCE, P.J. and B.H. McCOWN. A system for producing uniform microtubers, 445, (abst).
- KALBFLEISCH, G., *see* Muneta, P.
- KEIM, W.A. Expressing the amount of surface applied CIPC (Isopropyl m-Chlorocarbanilate) potato sprout inhibitor, 445, (abst).
- KELLING, K.A., *see* Simmons, K.E.
- KEZIS, A.E., *see* Marra, M.C.
- KING, R.B., R.P. SINGH and A. BOUCHER. Variation in sucrose esters from the type B glandular trichomes of certain wild potato species, 520.
- KLEINKOPF, G.E., G.D. KLEINSCHMIDT and D.T. WESTERMANN. A Versatile potato plot planter, 446, (abst).
- KLEINKOPF, G.E., D.T. WESTERMANN, M.J. WILLIE and G.D. KLEINSCHMIDT. Specific gravity of Russet Burbank potatoes, 579.
- KLEINSCHMIDT, G.D., *see* Kleinkopf, G.E.
- KNOPER, J.A., *see* Sowokinos, J.R.
- KNUTSON, K.W., *see* Alsadon, A.A.
- KOLLER, D.C., *see* Hiller, J.K.
- KOSIER, T., *see* Liedl, B.E.
- KOSTCHKA, C.J., *see* Slack, S.A.
- KOTCH, G.P. and S.J. PELOQUIN. A new source of haploid germplasm for genetic and breeding research, 137.

- KOTCH, G.P. and S.J. PELOQUIN. Variation among six tuberosum haploid families for several traits, 446, (abst).
- KOZEMPEL, M. and J.C. CRAIG. Modelling and simulating potato processing, 446, (abst).
- KOZUB, G.C., *see* Nelson, G.A.
- KUNKEL, R. and G.S. CAMPBELL. Maximum potential potato yield in the Columbia Basin, USA: model and measured values, 355.
- LADD, JR., T.L., *see* Sanford, L.L.
- LAGNAOUI, A. and E.B. RADCLIFFE. Effects of fungicides on entomophthoraceous fungi and the population dynamics of green peach aphid on potato, 447, (abst).
- LAHMAN, L.K., *see* Franc, G.D.
- LEE, H.C., *see* Susnoschi, M.
- LIEDL, B.E., T. KOSIER and S.L. DESBOROUGH. HPLC isolation and nutritional value of a major tuber protein, 545.
- LIFSHITZ, Y., *see* Susnoschi, M.
- LOPEZ, D.F., A.A. BOE, R.H. JOHANSEN and S.H. JANSKY. Genotype x environment interactions, correlations and combining ability for six traits in potato, 447, (abst).
- LORENZEN, J.H. and E.E. EWING. Genotypic differences in maintenance respiration in potato, 448, (abst).
- LOZOYA-SALDANA, H., *see* Ortiz-Montiel, G.
- LOZOYA-SALDANA, H. and I. MIRANDA-VELÁZQUEZ. Growth regulators, photoperiod, and flowering in potatoes, 377.
- LUTHER, K., *see* Scheidegger, U.
- LYNCH, D.R., G.B. SCHAALE, G.C.C. TAI and D.A. YOUNG. Use of canonical discriminant analysis in assessing the merit of crosses in terms of breeding goals, 385.
- MACGUIDWIN, A.E. Abundance and vertical distribution of *Pratylenchus scribneri* associated with potato in Wisconsin, 448, (abst).
- MADDEN, L.V., *see* Franc, L.J.
- MAHER, E.A., *see* Bland, W.L.
- MAIANU, A., *see* Bilski, J.J.
- MANZER, F.E., N.C. GUDMESTAD and G.A. NELSON. Factors affecting infection, disease development, and symptom expression of bacterial ring rot, 671.
- MARRA, M.C., A.S. KEZIS, S.M. GOLTZ, W.E. HEDSTROM and R.D. HEWS. The economic implications of potato response to irrigation: results from 1985 field tests in Maine, 249.
- MARTIN, M.W., *see* Miller, D.E.
- MARTIN, M.W. and D.E. MILLER. Advantages of water-stress resistant genotypes in the northwest, 448, (abst).
- McCOMBER, D.R. and E.M. OSMAN. Influence of some basic physical and chemical properties on the eating quality of potatoes, 449, (abst).
- McCOWN, B.H., *see* Joyce, P.J.
- McDONALD, J.G. Comparative levels of potato viruses S and Y infection of microplants and tuber-propagated plants in the field, 517.
- McLEOD, C.D., *see* Misener, G.C.
- McMURRY, S., *see* Ewing, L.L.
- MILLER, D.E., *see* Martin, M.W.
- MILLER, D.E. and M.W. MARTIN. The effect of irrigation regime and subsoiling on yield and quality of three potato cultivars, 17.
- MILLER, D.E. and M.W. MARTIN. Effect of declining or interrupted irrigation on yield and quality of three potato cultivars grown on sandy soil, 109.
- MIRANDA-VELÁZQUEZ, *see* Lozoya-Saldana, H.
- MISENER, G.C. and C.D. McLEOD. A bulk potato trailer for research plots, 403.
- MOGEN, B.D., A.E. OLESON and N.C. GUDMESTAD. Dot-blot detection of the ring

- rot pathogen: evaluation of cloned *Corynebacterium sepedonicum* DNA sequences as potential hybridization probes, 701, (abst).
- MOHAN, S.K. and J.R. DAVIS. Pathogenic potential of *Colletotrichum coccodes* to potato: some new evidence, 449, (abst).
- MONDY, N.I., B. GOSSELIN and R. PONNAMPALAM. Effect of soil applications of magnesium sulfate and dolomite on the quality of potato tubers, 27.
- MONTIERRO, C., see Zaag, P. vander.
- MOORE, T.M., W.M. IRITANI and L.D. WELLER. The physiological relationship between chronological- and physiological-age of seed-tubers and the subsequent progeny in 'Russet Burbank,' 450, (abst).
- MUNETI, P. and G. KALBFLEISCH. Heat-induced-contact discoloration a different discoloration in boiled potatoes, 11.
- MUNETI, P. and G. KALBFLEISCH. Heat-induced contact discoloration in boiled potatoes, 450, (abst).
- MUNETI, P. and G. KALBFLEISCH. Dopachrome formation and melanin development during subsequent cooking, 450, (abst).
- MUNOZ, F., see Estrella, D.
- NAGLE, M.E., see Easton, G.D.
- NARANJO, H., see Estrella, D.
- NELSON, D.C., see Bilski, J.J. and Johnson, K.B.
- NELSON, G.A. and G.C. KOZUB. Effect of temperature and latent viruses on atypical ring rot symptoms of Russet Burbank potatoes, 589.
- NICHOLSON, A.G., see Ewing, E.E.
- NOLTE, P., G.A. SECOR and N.C. GUDMESTAD. Wound healing, decay and chemical treatment of cut potato tuber tissue, 1.
- OLESON, A.E., see Mogen, B.D.
- OPGENORTH, D.C., see Braun, A.L.
- ORR, P.H., see Sowokinos, J.R.
- ORTIZ-MONTIEL, G. and H. LOZOYA-SALADAÑA. Potato minitubers: technology validation in Mexico, 535.
- OSMAN, E.M., see McComber, D.R.
- OTAZU, V., see Amoros, W.
- OTAZU, V. and H. PINEDO. Some factors to consider for improvement of a late blight seedling screening, 451, (abst).
- OTRYSKO, B. and G. BANVILLE. The effect of the presence of underground plant parts on the growth and sclerotial formation of *Rhizoctonia solani*, 451, (abst).
- PALLAIS, N., J.S. ROJAS, N. PONG, R. GARCÍA and C. SANDOVAL. Effect of true potato seed maturity and storage on seed vigor, 452, (abst).
- PAVEK, J.J. Recent and future developments of the potato in the world—a workshop, 599.
- PELOQUIN, S.J., see Concilio, L., Darmo, E., Flewelling, H.S., Kotch, G.P., Watanabe, K., Werner, J.E. and Yerik, G.
- PETERSON, L., see Slimmon, T.
- PETERSON, M.D., see Slack, S.A.
- PIERCE, F.J. and R.W. CHASE. Zone tillage for improved quality and yield of Russet Burbank potatoes, 452, (abst).
- PINEDO, H. see Otazu, V.
- PLAISTED, R.L. and R.W. HOOPES. The origin of Rural New Yorker No. 2, 41.
- PLATT, H.W., see Celetti, M.J.
- PLATT, H.W. and J.B. SANDERSON. Comparison of inoculation methods for field studies of varietal responses to verticillium wilt of potatoes, 87.
- PLATT, H.W., M. CELETTI and H.W. JOHNSTON. Potato disease organism incidences as influenced by previous crop, 453, (abst).

- PLIMPTON, S., *see* Gould, W.A.
- PONG, N., *see* Pallais, N.
- PONNAMPALAM, R., *see* Mondy, N.I.
- PRITCHARD, M.K., *see* Zulu, G.M.
- QUINONES, S.H., *see* Slack, S.A.
- QUIROS, C.C.F., *see* Douches, D.S.
- QUIROS, C., D. DOUCHES, G. HUESTIS and S. BRUSH. Genetic survey of cultivated potatoes in the Andes: species, ploidy and isozyme polymorphism, 453, (abst).
- RADCLIFFE, E.B., *see* Flanders, K.L., Hanafi, D., Lagnaoui, A. and Watrin, C.G.
- RADCLIFFE, E.B., W.M. TINGEY, R.W. GIBSON, L. VALENCIA and K.V. RAMAN. Stability of green peach aphid resistance in wild potato species, 453, (abst).
- RAGSDALE, D.W. Effect of storage conditions and time on serological evaluation of potato foliage for potato leafroll virus, 454, (abst).
- RAGSDALE, D.W., *see* Hanafi, D.
- RAHIMI, F.R. and C.D. CARTER. Methods to delay abscission of flowers after pollination in *Solanum tuberosum*, 454, (abst).
- RAMAN, K.V., *see* Radcliffe, E.B.
- REX, B.L., W.A. RUSSELL and H.R. WOLFE. The effect of spacing of seedpieces on yield, quality and economic value for processing of Shepody potatoes in Manitoba, 177.
- RHODES, D.J. and D.C. GROSS. *Pythium* as a pathogen of potato and advances in its biological control, 455, (abst).
- RIEDEL, R.M., *see* Francel, L.J.
- RIVERA, C.E., H. FERRIS and R.E. VOSS. *In vitro* root culture assay for resistance of potatoes to root-knot nematode, 455, (abst).
- ROJAS, J.S., *see* Pallais, N.
- ROSEMAN, Y., *see* Susnoschi, M.
- ROTT, M., *see* Slack, S.A.
- ROUSE, D.I., *see* Adams, S.S. and Johnson, K.B.
- ROWE, R.C., *see* Francel, L.J.
- RUSSELL, W.A., *see* Rex, B.L.
- SANDERSON, J.B., *see* Platt, H.W.
- SANDERSON, J.B. and R.P. WHITE. Comparison of urea and ammonium nitrate as nitrogen sources for potatoes, 165.
- SANDOVAL, C., *see* Pallais, N.
- SANFORD, L.L. and T.L. LADD, JR. Recurrent selection for potato leafhopper resistance in potato, *Solanum tuberosum* L. Gp. Tuberosum, 367.
- SANFORD, L.L. and T.L. LADD. Genetic transmission of potato leafhopper resistance from recurrent selection populations in potato *Solanum tuberosum* L. Gp. Tuberosum, 655.
- SAVAGE, S.A., *see* Bushway, R.J.
- SCHAALJE, G.B., *see* Lynch D.R.
- SCHEIDEGGER, U. and K. LUTHER. Importance of potato viruses in the Peruvian highlands, 456, (abst).
- SCHUSDEK, J., *see* Ewing, E.E.
- SCURRAH, M. and J. FRANCO. Contribution of *S. andigenum* and *S. vernei-S. tuberosum* in potato cyst nematode resistance for the Andean Region, 456, (abst).
- SECOR, G.A., *see* Nolte, P.
- SECOR, G.A., L. DeBUHR and N.C. GUDMESTAD. Chemical sanitation for bacterial ring rot control, 699, (abst).
- SEYMOUR, M.C., *see* Easton, G.D.
- SHAH, S.M.A., *see* Chaudhry, A.H.
- SHEA, D., R.D. ALLEN, S.K. BHATIA and D.A. STELZIG. Absciscic acid inhibition of arachidonic acid-mediated rishitin synthesis in potato tuber discs, 49.

- SHUMAKER, J.R., *see* Weingartner, D.P.
- SIMMONS, K.E. and K.A. KELLING. Potato responses to calcium application on several soil types, 119.
- SINDEN, S.L., *see* Deahl, K.L.
- SINGH, R.P., *see* King, R.B.
- SINGH, R.P. and T.H. SOMERVILLE. Relationship of virus concentration with the field resistance to potato virus Y in potatoes, 69.
- SLACK, S.A., *see* Bishop, A.L., Grasmick, M.E. and Souza-Dias, J.A.C.
- SLACK, S.A. Biology and ecology of *Corynebacterium sepedonicum*, 665.
- SLACK, S.A. and A.L. BISHOP. Effect of inoculum level and cultivar maturity on bacterial ring rot disease development, 699, (abst).
- SLACK, S.A., C.J. KOSTICHKA and D. GAKOVICH. Basic seed potato production in Wisconsin, 457, (abst).
- SLACK, S.A., M.D. PETERSON, M. ROTT and S.H. QUINONES. Effect of heat and chemical therapy treatments on potato virus S elimination in Desiree, 457, (abst).
- SLIMMON, T., V. SOUZA-MACHADO, R. COFFIN and L. PETERSON. Thidiazuron for *in vitro* microtuberization of potatoes, 458, (abst).
- SMITH, J.A. and S.L. DESBOROUGH. The endosperm seed protein solin: biochemical characterization, induction by ABA and species-specific subunits, 458, (abst).
- SNYDER, R.G., *see* Ewing, E.E.
- SOMERVILLE, T.H., *see* Singh, R.P.
- SOUZA-DIAS, J.A.C. and S.A. SLACK. Utilization of *in vitro* plantlets to study the response of potatoes to potato leafroll virus, 458, (abst).
- SOUZA-DIAS, J.A.C. and S.A. SLACK. Relation of potato leafroll virus concentration in potatoes to virus concentration in aphids, 459, (abst).
- SOUZA-MACHADO, V., *see* Slimmon, T.
- SOWOKINOS, J.R. Variations in glucose forming potential (GFP) between potato clones, 459, (abst).
- SOWOKINOS, J.R. Cellular regulation influencing a potato clone's high or low sugar potential in storage, 460, (abst).
- SOWOKINOS, J.R., P.H. ORR, J.A. KNOPER and J.L. VARNIS. Influence of potato storage and handling stress on sugars, chip quality and integrity of the starch (amyloplast) membrane, 213.
- STARK, J.C. Stomatal behavior of potatoes under nonlimiting soil water conditions, 301.
- STARK, J.C. and J.L. HALDERSON. Measurement of diurnal changes in potato tuber growth, 245.
- STELZIG, D.A., *see* Shea, D.
- SUSNOSCHI, M., B. COSTELLOE, Y. LIFSHITZ, H.C. LEE and Y. ROSEMAN. Arma: a potato cultivar resistant to heat stress, 191.
- SWALLOW, W.H., *see* Haynes, K.G.
- TAI, G.C.C., *see* Lynch, D.R.
- TAI, G., R. COFFIN and R. YADA. The effect of reciprocal and autografting on specific gravity, sugar content and chip color of potatoes, 460, (abst).
- TANNER, C.B., *see* Bland, W.L.
- TARIQ, A.H., *see* Chaudhry, A.H.
- TENG, P.S., *see* Johnson, K.B.
- THOMAS, J., *see* Gould, W.A.
- THORNTON, R.E. Comparison of single row vs. 3 row plots for cultivar evaluation, 461, (abst).
- THORNTON, R.E. A comparison among rates of suspension and dry fertilizer on fumigated and non-fumigated land, 461, (abst).
- TIBBITTS, T.W., *see* Chungcharoen, A. and Wheeler, R.M.

- TIBBITTS, T.W. and R.M. WHEELER. Potato growth in controlled environments for NASA, 461, (abst).
- TIBBITTS, T.W., R.M. WHEELER and A.H. FITZPATRICK. Cultural procedures for growing potatoes in space, 462, (abst).
- TIMM, H., *see* Alsadon, A.A.
- TINGEY, W.M., *see* Radcliffe, E.B.
- TOVAR, P., J.H. DODDS, R. CHANDRE and R. de ARCAUTE. Effect of medium composition on *in vitro* tuberization, 462, (abst).
- TUYET, L.T., *see* van Ho, T.
- TWOMEY, J.A., *see* Holm, D.G.
- VALENCIA, L., *see* Radcliffe, E.B.
- VALENCIA, L. Effect of chemical leaf compounds of *Lantana camara* L. on the oviposition by the potato tuber moth *Phthorimaea operculella* (Zeller), 462, (abst).
- van HO, T., L.T. TUYET and P. VANDER ZAAG. Potato production using sprouts in Vietnam, 463, (abst).
- van UYEN, N. and P. VANDER ZAAG. Rapid propagation of potatoes using tissue culture in Vietnam, 463, (abst).
- VARNIS, J.R., *see* Sowokinos, J.R.
- VOSS, R.E., Rivera, C.E.
- WATANABE, K. and S.J. PELOQUIN. Occurrence and frequency of 2n pollen in cultivated groups and related wild species, 464, (abst).
- WATRIN, C.G. and E.B. RADCLIFFE. Pyrethroid resistance in Colorado potato beetle, 464, (abst).
- WEBB, R.E., *see* Chaudhry, A.H.
- WEINGARTNER, D.P. and J.R. SHUMAKER. Development of bacterial wilt and tuber brown rot in six potato cultivars, 465, (abst).
- WELLER, L.D., *see* Iritani, W.M. and Moore, T.M.
- WERNER, J.E. and S.J. PELOQUIN. Modified megagametogenesis in haploid tuberosum-wild species F₁ hybrids and technique for counting chromosome number in endosperm, 465, (abst).
- WERNER, J.E. and S.J. PELOQUIN. Frequency and mechanisms of 2n egg formation in haploid tuberosum-wild species F₁ hybrids, 641.
- WESTERDAHL, B., *see* Carlson, H.
- WESTERMANN, D.T., *see* Kleinkopf, G.E.
- WHEELER, R.M., *see* Chungcharoen, A. and Tibbitts, T.W.
- WHEELER, R.M. and T.W. TIBBITTS. Utilization of potatoes for life support systems in space: III. Productivity at successive harvest dates under 12-H and 24-H photoperiods, 311.
- WHEELER, R.M. and T.W. TIBBITTS. Potential spaceflight experiments with potato, 465, (abst).
- WHEELER, R.M., T.W. TIBBITTS and A.H. FITZPATRICK. Response of potato cultivars to continuous light environments, 466, (abst).
- WHITE, R.L., *see* Sanderson, J.B.
- WILLIE, M.J., *see* Kleinkopf, G.E.
- WOLFE, H.R., *see* Rex, B.L.
- WORKMAN, M., *see* Holm, D.G.
- YADA, R., *see* Tai, G.
- YERK, G. and S.J. PELOQUIN. Evaluation of germplasm enhancement potential of wild *Solanum* spp., 466, (abst).
- YOUNG, D.A., *see* Lynch, D.R.
- YU, QU DON, *see* Bofu, S.
- ZAAG, P. VANDER, *see* Bofu, S., van Ho, T. and van Uyen, N.

- ZAAG, P. VANDER, V. ESCOBAR and C. MONTIERRO. Potato production using cuttings, 467, (abst).
- ZITTER, T.A., *see* Gallenberg, D.J.
- ZULU, G.M. and M.K. PRITCHARD. Influence of mefluidide on tuber development, maturity, and storage of Russet Burbank and Norland potatoes, 569.
- ZUNIGA, N. *see* Ezeta, F.

SUBJECT INDEX

- ABA, 49-51, 59, 462
 Activated sludge, 501-2
 Adaptability, 397
 Adhesive exudates, 507, 508, 512
 After cooking darkening, 11
 Age of seed, 291, 297-8
 Age of seed tubers, 450
 Agtron values, 217, 220-2, 224
 Albumin isolation, 547
 Alligator hide, 561
 Amino acid analysis, 547
 Amino acid composition, 554
 Ammonium nitrate, 165-6, 168-74
 Amyloplast membrane, 213, 217-8, 223
 Anaerobic digestion, 444
 Anaerobiosis, 62
 Anther culture, 469, 472
 Anthocyanin, 337, 342, 569, 571, 575-6
 Anthocyanin accumulation, 466
 Anticholinesterase activity, 411
 Antisera, 98-9
 Aphid resistant potato, 467
 Aphid transmission, 69, 79
 Apical shoot cuttings, 467
 Atypical ringrot symptoms, 589-90, 592-6
 Axillary buds, 536
 BA, 458
 BAC, 493, 497, 503-5
 Bacteria
 Bacillus, 666
 Clavibacter, 665
 michiganense, 665
 sepedonicum, 227-8, 589-90, 700
 Clostridium, 666
 Corynebacterium
 insidiosum, 665
 sepedonicum, 227-8, 230, 232-3, 438, 441,
 457, 589-97, 665-7, 669, 671, 673-5,
 677, 683, 687, 689, 693, 695, 699,
 700-1
 strains
 SS13, 229-31
 SS20, 229-31
 SS38, 229-31
 SS43, 229-31
 Erwinia, 2, 3, 7, 8, 91, 438, 602
 carotovora, 1, 2, 5, 457
 atroseptica, 2, 3, 438
 carotovora, 2, 438
 Pseudomonas, 455
 solanacearum, 327, 465, 688
 Streptomyces scabies, 193
 Bacterial ring rot, 227, 665, 669, 671, 678-81,
 683, 686, 688-93, 696
 acreage rejected, 686-7
 air temperature, 672
 "carriers", 668
 certification policy, 677
 detection, 672
 eradication, 669, 693, 695
 growing degree days, 673
 guidelines, 697
 impact on exports, 691
 inoculum concentrations, 674
 losses, 681
 rejection policy, 678
 soil fertility, 674
 moisture, 673
 temperature, 673
 survival, 668
 total light energy, 674
 Bacterial soft rot, 120, 197
 Bacterial wilt, 397, 601
 BAP, 462
 Biological activated carbon process, 493
 Bioregenerative life support, 311
 Black berry, 430
 Blackleg, 397
 Blackspot, 11, 28, 561
 BOD, 494
 Boron deficiency, 430
 Breaking dormancy, 329, 602
 Breeding, 559
 Brown center, 443
 Bruising, 197
 Bulk potato trailer, 403
 Bulk transport, 403
 Bush hog no-till, 452
 Ca soil test, 119, 123, 127, 133
 Ca sources, 119
 Calcium deficiency, 119-20
 Canonical discriminant analysis, 385-6
 CCC, 462
 Chemical properties of tubers, 449
 Chemical sanitation, 699, 700
 Chemicals and chemical compounds
 B, 443
 Ca, 28, 31, 33, 119, 122, 127-31, 134-5,

- 166, 443
Epsom salt, 27
K, 122, 127, 128, 129, 130, 135, 136
Mg, 27-33, 122, 127-31, 135
N, 483-4, 488, 490
P, 166
Chip color, 213, 216-7, 460
Chip quality, 441
Chips, 397
Chloroplast DNA, 345-6, 349
Cholinesterase, 409
Chromosome numbers, 465
CIPC, 215, 445
CMAS, 495, 497, 500
COD, 444, 493, 495, 497, 500, 502-5
Cold stress, 460
Combining ability, 447
Computer simulation, 446
Conductance, 200-2
Contaminated irrigation water, 438
Continuous light, 311, 466
Conversion efficiency, 355, 364-5
Cooking, 11
Crop modelling, 601
Crop rotation, 431, 434
Crop value, 177, 182
Crude lipid, 27, 29, 31-2
ctDNA, 345-7, 350-2
Cultivars for processing, 602
Cumarin, 462
Cytokinins, 60
Cytology, 641
Cytoplasm, 345
Dark period, 317
Darkening, 27
Data collection, 441
Date of flowering, 519
Day-degree model, 439
Dietary energy requirement, 311, 319
Diploid, 337, 342
Diploid genotypes, 600
Discoloration, 11, 13-4, 29, 30, 33
Disease resistance, 559
Disinfectants, 700
DNA, 701
Dopachrome, 450
Dormancy release, 59, 62
Dot-blot, 701
Dry matter, 317, 355, 361, 579
Dwarfing locus, 431
Early blight, 191, 397
Early dying, 437, 449
Eating quality, 449
EBN, 424, 465, 469, 470
Economic analysis, 178, 185-6
Eggplant bioassay, 227
ELISA, 69-77, 97-106, 205-7, 442, 454, 456-7, 519
Epistasis, 642
Esterase isozymes, 545
Evapotranspiration, 109, 253
Experimental clones, 644, 646
Export markets, 683, 686
FDR, 642, 649, 652-3
Feeding deterrents, 285
Fertilizer, 165
Fertilizer level, 291, 293-5
Fertilizer rates, 358-60, 461
Flesh pigmentation, 338
Flower development, 381
Flower retention, 454
Flowering, 377-8, 380
Flush-out system, 402, 678
Forage, 211
4n megaspores, 641, 651
4x X 2x crosses, 433, 444, 469, 642
4x X 2x hybrids, 81-3
Fruit set, 455
Fruits per pollination, 644
Fungi
 Alternaria, 602
 solani, 193, 438
 Colletotrichum coccodes, 449, 453
 Conidiobolus obscurus, 447
 Early blight, 561
 Entomophthora planchoniana, 447
 Erynia neoaphidis, 447
 Fusarium, 3, 4, 7, 8, 91, 397
 oxysporum, 453
 solani *coeruleum*, 2
 sulphureum, 2, 3, 5
 Late blight, 451, 601
 Phytophthora
 infestans, 50, 326, 439
 Powdery mildew, 561
 Pythium, 455
 Rhizoctonia, 91, 397
 solani, 451, 453, 590
 Sclerotinia rolfii, 559, 561
 sclerotiorum, 561
 Verticillium, 453
 albo-atrum, 87, 88, 90-2, 209-11
 dahliae, 87, 193, 209-11, 429, 434, 437
 Verticillium wilt, 89, 101, 559, 561

- GA, 430-1, 453
 GA₃, 377
 Gene mapping, 600
 Gene "p8", 464
 Gene sequence, 701
 Gene symbol "pf", 337, 339, 341
 Gibberellins, 60
 Glandular trichomes, 507, 529
 GLC, 288-90
 Glucose, 213-4, 219-21, 224, 460
 Glycoalkaloids, 409, 561
 abscisic acid, 49, 52, 54
 α -chaconine, 287, 409, 411-12
 α -solanine, 287, 409-12
 arachidonic acid, 49, 51-2
 β -2-chaconine, 409-11
 chaconine, 433
 chlorogenic acid, 11
 commersonine, 409-11, 433
 dehydrocommersonine, 409-11
 demissidine, 411
 demissine, 409-11, 433
 Gapol, 377
 leptine glycoalkaloids, 285
 leptine I, 288-90
 leptine II, 288-9
 leptines, 433
 rishitin, 49, 51, 53-5
 solamarine, 433
 solanidine, 410-11
 solanine, 433
 solasonine, 433
 tomatidine, 410-11
 tomatine, 409, 410-11
 Gram stain, 666
 Growing degree days, 252
 Growing potatoes in space, 462
 Growth inhibitors, 61
 Growth regulator, 377, 569
 Handling, 213, 224
 Haploid species hybrids, 641, 643
 Haploids, 137, 469, 480
 Harvest transport, 403
 Heat-tolerance, 35
 Heat stress, 191
 High temperature, 35
 Hollow heart, 177, 182-3, 443, 449, 561, 579, 584
 Hopperburn, 367, 371, 373, 655-6
 Hopperburn ratings, 659
 HPLC, 286, 288, 410, 547-9, 551-2, 555-6
 HPTLC, 288
 HTA, 424
 Induction of seed protein, 458
 Inoculation methods, 87
 Insect resistance, 285, 529
 Insects
 Aphids, 669
 Althenaea, 667
 Colorado potato beetle, 285, 290, 409, 412, 432, 464, 507-8, 510-13, 561, 563, 668
 Empoasca fabae, 367, 655-6
 Green peach aphid, 442, 447, 453
 Leafhopper nymphs, 370-2
 Leafhoppers, 668
 Leptinotarsa decemlineata, 285, 369, 432, 507-8, 563, 657
 Myzus persicae, 459
 Phthorimaea operculella, 462
 Potato aphid, 442
 Potato leafhopper, 436
 Ternate bug, 668
 Tuber moth, 602
 Integrated production systems, 601
 Intercropping, 600
 Internal brown spot, 128
In vitro plantlets, 457-8
In vitro tuberization, 462, 535
 IPM, 435, 448
 Irrigation, 109, 249-50, 257
 Irrigation cost, 258
 KERMIT, 442
 Latent period, 227, 231, 233
 Latent virus, 589
 Leaf blights, 307
 Leaf water potential, 301, 304
 Life support system, 371
 Light, 301
 Light regimes, 535, 537-8, 542
 LLMO, 444
 Low cost storage, 602
 Mahalanobis distances, 387, 393
 Maillard reaction, 213
 Manual loading, 407
 Mayer's stain, 643
 Mechanical loading, 407
 Media
 Lozoya-Dawson medium, 537
 Nitsch and Nitsch medium, 471
 Palmer-Smith medium, 535, 538-9, 542
 Stallknecht's medium, 535, 538-9, 542
 Wang Ho medium, 535, 538-9, 542
 Wattimena medium, 537, 538-9, 542
 Wenzel medium, 471

- Melanin, 450
 Merit of crosses, 385
 Metalc, 508
 Micropropagation, 429, 435-6, 445, 458, 517
 Microtubers, 329-32
 Minerals, 27
 Mini tubers, 535
 Monoclonal antibody, 666
 Multivariate analysis, 385
 N fertilizer, 701
 N source, 165
 Nematodes
 Globodera, 602
 pallida, 456
 rostochiensis, 193, 377, 523, 524
 Meloidogyne, 602
 chitwoodii, 431
 hapla, 455
 japonica, 455
 incognita, 455
 Pratylenchus, 453
 thornei, 193
 penetrans, 437
 Neo-tuberosum, 448
 Net radiation, 301, 303-7
 Net returns, 249, 256
 New low-cost methods of processing, 602
 Nodal cuttings, 457
 Nutritional value, 545, 550, 551, 556
 Nymph, 655
 Nymphs per leaf, 658-60
 OP seed, 82-3
 Ouchterlony test, 228
 Oviposition deterrent, 463
 PAA affairs
 Budget, 1987-88, 618
 Call for nominations for honorary life members, 705
 Call for graduate student papers for 1988 annual meeting, 546
 Call for papers for 1988 annual meeting, 546, 703
 Changes proposed for Constitution and By laws, 267
 Committees for 1987-88, 636
 Final call for graduate student papers, 704
 Financial audit, 617
 Graduate student award, 626
 Instructions to authors, 143
 Journal distribution list, 625
 Life Members
 W.M. Iritani, 423
 D.C. Nelson, 421
 O. Ochoa, 425
 Minutes of 1987 annual meeting, 603
 Obituaries
 Arden Burbidge, 427
 Burton Cargill, 159
 Elmer Pifer, 333
 Orrin Turnquist, 162
 Felix Zeloski, 707
 Papers published in volume 29 (1986) of *Potato Research*, 415
 Pre-registration for 72nd annual meeting, 151
 Proceedings of the symposium on the eradication of bacterial ring rot, 663
 Program for 71st annual meeting, 267
 Reports, 614
 Advertising manager, 621
 Auditor, 617
 Business editor, 619
 Editorial office, 621
 Finance committee, 618
 Graduate student awards, 626
 Honorary life membership, 627
 International relations committee, 627
 Journal review committee, 626
 Membership, 623
 Membership Secretary, 624
 Site selection committee, 625
 Treasurer, 618
 Retirement, 614
 C.H. Livingston, 26
 Soil/water interest group, 635
 Standing committees
 Breeding and genetics, 628
 Extension, 629
 Pathology, 632
 Physiology, 632
 Seed certificate, 628
 Utilization, 634
 Thanks to reviewers of Journal articles, 261
 Washington Potato Museum, 376
 PAC, 493, 497, 502
 PAGE, 235-9, 552-3
 Paraplow, 452
 Patatin, 545, 552, 555-6
 Periderm, 119, 128-32, 134-5, 458, 569-71, 574-7
 Pesticides
 aldicarb, 303
 alsystin, 369, 657

ancymidol, 458
 bentazon, 443
 biphenthrin, 464
 captafol, 447
 captan, 1, 4, 6, 7
 captan-firbark, 1, 4-7
 captan-merck, 1, 4-7
 captan-rhodamine, 4-8
 carbaryl, 369, 400, 412, 657
 Ceresan B, 4-7
 chlorothalonil, 447, 509
 cupric hydroxide, 447
 cyanazine, 443
 cypermethrin, 464
 EPTC, 443
 ethephon, 430
 fenvalerate, 432, 464
 Guthion, 409, 411
 haloxyp, 443
 mancozeb, 1, 4-7, 447
 mefluidide, 569-73, 576
 metalaxyl, 447
 metham-sodium, 193
 metolachlor, 111, 443
 metribuzin, 101, 303, 443, 561
 pendimethalin, 443
 permethrin, 464
 piperonyl butoxide, 432
 piram, 565
 pyrrolidine, 4-7
 rindite, 62
 sodium hypochlorite, 1, 3-7
 streptomycin, 4-8
 Telone, 432
 thidiazuron, 458
 tralomepr, 464
 triadimef, 458
 trifluralin, 443
 Vapam, 111
 zineb-firbark, 1, 4-7
 zineb-streptomycin, 1, 4-7
 Phenolic compounds, 514
 Phenols, 27, 29, 30
 Phospholipid, 27, 32
 Photoperiod, 311, 313, 377, 381, 509
 Physical properties of tubers, 449
 Phytoalexin, 49, 50
 Phytotron, 35
 Pigmentation, 337
 Pigmentation genes, 339-40
 Plant growth regulators, 57
 Plants/ha, 181

Plant species

alfalfa, 652
 barley, 211
Beta vulgaris, 667
 carpetweed, 443
 foxtail, 443
Chenopodium album, 441
 clover, 453
Datura, 650
metel, 534
Lantana camara, 462
Lycopersicon esculentum, 235-6, 240-3, 667
hirsutum, 534
pimpinellifolium, 667
racemigerum, 667
Nicotiana, 470, 479
tabacum, 70, 534
 peas, 211, 453
 Pennsylvania smartweed, 443
Petunia multiflora nana, 534
Phleum pratense, 210
Physalis, 459
floridana, 98, 102, 104-5
Polygonum, 645
 ragweed, 443
 ryegrass, 211, 453
Salsola kali, 441
 soybean, 211, 453, 548
 sugarcane, 545
Trifolium hybridum, 216
Solanum melongena, 227-9, 231-2
 wild buckwheat, 443
 Plant water status, 302
 Plasmid, 701
 Post harvest pathogens, 197
 Potato, 469
 Potato breeding, 137, 385
 Potato cultivars
 New
 Arma, 191, 194-5
 Laal-e-Faisal, 397, 398-400
 Ute Russet, 430, 559
 Old
 Abnaki, 71-3, 75
 Acadia Russet, 210
 Ackersgen, 463
 Agassiz, 459
 Ajax, 399
 Alpha, 330, 377, 430, 688
 Anoka, 101-2, 104
 Atlantic, 137-8, 140, 254-6, 446, 465-6
 Atzimba, 452, 483, 487, 535-42

- Avon, 71
 Belchip, 254-6
 Belleisle, 390
 BelRus, 585, 671-2
 Bintje, 71, 74, 76-8, 210
 Cardinal, 399-400
 Caribe, 71
 Cariboo, 71
 Carlton, 388-94
 Centennial Russet, 438, 559, 561
 Chak Ram, 400
 Cherokee, 102
 Chieftain, 397-8
 Chippewa, 101-2, 104, 138, 140, 254-6, 446
 Congo Black, 338
 Crystal, 102
 Denali, 432, 466
 Desiree, 193-5, 330, 399, 430, 457, 688
 Early Rose, 46
 Fundy, 71
 Garnet Chili, 46
 Grand Falls, 71
 Green Mountain, 71, 508-9, 511
 Gojra, 400
 Highlat Russet, 521, 524
 High Lite, 461
 HiLite, 449, 701
 Hunter, 71
 Huron, 71, 75, 79
 Irish Cobbler, 71, 442
 Jemseg, 71, 76, 78
 Juanita, 535-42
 Katahdin, 27, 29, 71, 75-7, 79, 101-2, 238-9, 254-6, 330, 432, 435, 454, 458-9, 524, 565-7, 671, 699
 Kennebec, 50, 71, 87-8, 90-1, 101-2, 104, 165-73, 224, 246, 289, 301-2, 304, 312, 370, 372, 430, 447, 458-9, 466, 517-8, 520-1, 560, 570, 574, 689, 692
 Keswick, 71
 Kuannae, 326
 LaChipper, 465
 Lahore, 400
 Lemhi, 17, 19, 21-4, 109-15, 449-50, 461
 Lemhi Russet, 301-2, 304, 306, 330
 Magnum Bonum, 43, 46
 Mariella, 463
 Marijke, 377, 379, 381
 Maris Piper, 192
 Mariva, 456
 Merrimack, 466, 643, 671
 Monona, 101-3, 224, 238-9, 459
 Monserrate, 330
 Monza, 468
 Narowal, 400
 New Superior, 431
 Nooksack, 12-3, 17, 19, 21-4, 109-15, 449-50, 559-60, 701
 Norchip, 71, 75, 79, 101, 169, 213, 215, 218, 222, 224, 254-6, 330, 385, 387-9, 391-4, 431, 447, 459
 Norgold, 459
 Norgold Russet, 101, 431, 449, 701
 Norking, 459
 Norland, 71, 76, 78, 101-3, 312-3, 315-7, 388-94, 432, 461, 466, 569, 571-7, 584, 673, 699
 Onaway, 104
 Ontario, 254-6, 465, 699
 Patrones, 399, 400
 Penn 71, 101
 Pentland Crown, 138
 President, 671
 Qadirabad, 400
 Raritan, 71, 76, 78, 390
 Record, 138
 Red La Soda, 104, 465
 Red Norland, 102, 104, 585
 Red Pontiac, 71, 101-2, 137-9, 210, 431, 445, 458-9, 517-8, 520, 596, 701
 Redsen, 137-40, 446
 Rural New Yorker No. 2, 41-45
 Russet Burbank, 3, 12, 14, 17-9, 21-4, 71, 101-2, 104, 109-15, 121, 165-73, 178, 198, 200-2, 210, 254-6, 291, 293, 301-2, 304, 306-7, 330, 355, 357-9, 364-5, 385, 387-94, 431-2, 438, 442-3, 448-50, 452, 455, 458-9, 461, 466, 517-8, 520-1, 569-77, 579-80, 585-6, 589-91, 593, 594-6, 561, 668, 674, 699, 701
 Russet Sebago, 101-2
 Sable, 71, 77, 460
 Saco, 71-2
 Sangre, 443
 Saranac, 671
 Sebago, 71, 75, 79, 101-2, 104, 165-8, 170-3, 210, 442
 Sequoia, 368, 656
 Shepody, 71, 75-6, 78, 177-9, 184, 187-8, 210, 458, 517-8, 520
 Snowchip, 466

- Spunta, 330, 430
Sumundri, 400
Superior, 101, 210, 256, 431, 437, 465-6, 699
Teton, 671-2
Tobatek, 400
Tobique, 71, 75
Urgenta, 688
Warba, 71, 75, 79
Wauseon, 390
White Rose, 430, 450, 455, 701
Wilja, 399
Yukon Gold, 458
Yungay, 430, 456
Numbered seedlings
34-2AK, 523-4
75-15, 339-40
79-15, 339-40
79-48, 339-40
312-4, 339-40
320-1, 339-40
398-1, 459
651-9, 459
860-2, 459
2526, 546, 554
2628, 546, 549, 551, 554
7506-1, 339-40
7539-1, 339-40
7553-1, 339-40
8132-2, 339-40
8742, 459
82082, 546, 550
A501-13, 560
A6334-20, 390
A6948-4, 306
A7938-1, 450
A66107-51, 304
A74114-4, 449
A74212-1, 449
B355-24, 308
B604-56, 398
B2919-1, 398
B3691-1, 398
B4102, 398
B5141-6, 288-9
B6026-WV-5, 442
B6039-WV-9, 442
B6086-WV-21, 442
B6558-2, 371
B7160-4, 397-8
C1-884, 448
CIP 379706, 27
DTO-2, 330, 468
DTO-28, 460
DTO-33, 330, 483, 485, 487
DM 5-12, 38
DM 13, 38
DM 36, 38
DM 56-4, 37, 39
DM 57-3, 38
DM 66-4, 38
DM 91-5, 38
F52-4, 398
F52-8, 560
F5850, 460
F51013, 390
F51043, 390
F53017, 390
F53056, 390
F53071, 390
F57023, 390
F59013, 390
F59103, 390
F60019, 390
F60034, 390
F61101, 390
F62008, 390
F62043, 390
F63042, 390
F64052, 390
F64061, 390
F64073, 390
F64114, 390
F65064, 390
F65089, 390
F65113, 390
F66011, 390
F66041, 390
F69016, 390
F69041, 390
F71002, 390
HT75P9-31, 38
I-1035, 468
L2651-209, 192
LT-1, 330
LT-2, 330, 468
LT-4, 330
ND534-4, 449
ND860-2, 447, 450
ND2221-6, 447
ND3435-17, 398
NDTX8731-1R, 455
OND-5, 524
P-3, 468

- PI194684, 398
 PI208332, 398
 PI214372, 398
 PI214732, 560
 R128.6, 483, 485, 487
 S62-47-1, 192
 TXA763-5, 450
 US-W 152, 644
 US-W 711, 644
 US-W 973, 644
 US-W 1788, 644
 US-W 1887, 644
 US-W 2236, 644
 US-W 2489, 644
 US-W 2838, 644
 US-W 3304, 644
 US-W 4106, 644
 US-W 4159, 644
 W12-3, 559-60
 W39-2, 398
 W231, 446, 643
 W245-2, 398
 W639, 643
 W710, 137-9
 W760, 137-40, 446
 W842, 137-40
 W7589.2, 339-40
 W9234.3, 339-40
 WNC285-18, 559
 Potato growth model, 444
 Potato planter, 446
 Potato processing, 579
 Potato production, 249
 Potato species
 Solanum, 345, 458, 469-71, 511, 523, 536,
 563-4, 695
 acaule, 471
 aethiopsicum, 533
 alandiae, 566
 antipoviczii, 667
 balleii, 667
 berthaultii, 437, 507-11, 514, 529, 530-3,
 563, 566
 brevidens, 472-3, 475
 bukasovii, 466, 566-7
 bulbocastanum, 431, 472-3, 475, 478-9
 canasense, 437, 466
 cardiophyllum, 475-6, 469, 472-3, 478-9,
 667
 carolinense, 553
 chacoense, 82, 85, 239, 285-9, 431-4, 454,
 472-3, 475, 563, 565-7, 644, 661
 chancayense, 469, 472-3, 475, 477-8
 chaucha, 453
 citrullifolium, 667
 commersonii, 472-3, 478-9, 667
 corymbosum, 667
 demissum, 70, 471, 473, 477-8, 667
 endlicheri, 667
 fendleri, 472-9, 566-7, 667
 arizonicum, 424
 fendleri, 424
 gourlayi, 431, 464, 466-7
 hertingii, 472-7, 479
 infundibuliforme, 466
 integrifolium, 667
 jamesii, 566-7
 jujuyense, 667
 kurtzianum, 466-7
 lactum mill, 533
 mammosum, 667
 marinasense, 466
 maritimum, 533
 melongena, 667
 microdontum, 431, 433, 437, 444
 multidissectum, 466-7
 neocardenasii, 529-33
 nigrum, 441
 chloracaepum, 533
 pampasense, 667
 papita, 431, 472-7, 479
 parodii, 667
 pinnatisectum, 473, 475, 478, 565-7
 polyadenium, 507-9, 511, 529-30, 532,
 566-7
 polytrichon, 424, 472, 474-7, 479, 567
 pyracantum, 533
 radicans, 667
 sanctae rosea, 437
 scribneri, 448
 sparsipilum, 431, 455, 464, 466-7
 stoloniferum, 424, 472-9, 566-7
 sturtianum, 533
 sucrense, 566-7
 tarjense, 433, 437, 444, 529-33, 563, 565-7,
 644
 tequilense, 633
 thaxcalense, 667
 tuberosum, 1, 3, 36, 37, 49, 50, 57, 82,
 119, 137, 165, 191-2, 197, 209, 228-9,
 235, 245, 285-6, 291, 301, 311, 329,
 338, 345, 346, 355, 367, 431-2, 442,
 444, 454, 456, 470, 514, 545, 569,
 590, 644, 655-6

- andigena*, 345-6, 424, 448, 453, 456, 459, 464, 479, 546
- phureja*, 36, 444, 453, 455, 464, 470-3, 475, 478, 546
- stenotomum*, 36, 453, 464
- tuberosum*, 546
- uvilovii*, 667
- vernei*, 456, 466
- verrucosum*, 466-7, 467
- vignoi*, 533
- villorian*, 533
- Warscewiczii*, 667
- Potato transplanter, 439
- Potato viruses, 97, 98, 397
 - A, 399, 457
 - APMV, 456
 - Beet western yellows, 97-107
 - Leafroll, 97-107, 205-7, 397, 399, 559
 - M, 399, 457
 - Net necrosis, 559
 - PLRV, 442, 454, 456-9
 - S, 205-7, 456-7, 517-20, 589-91
 - Spindle tuber, 235-6, 238-42
 - X, 205-7, 456-7, 589-91
 - Y, 69, 70, 73, 76, 79, 399, 457, 517-20, 561
- Potato waste water treatment, 493
- POTWIL, 429
- PPFD, 302
- Production and use of TPS, 322
- Proteins, 545
- Quality, 139, 254
- Rainfall, 252
- Reducing sugars, 137
- Registration and labeling, 700
- Regression, 35
- Resistance, 69, 70, 523, 566, 600
- Resistance to insecticides, 464
- Resistance to nematodes, 456
- Rest, 57
- Restriction endonuclease, 345
- Restriction enzymes, 349-51
- Ring rot, 559, 561
- Ring rot bacteria, 589
- Root growth, 17
- Root knot nematode, 453, 455
- Russeting, 575, 579
- Salinity, 431
- Sclerotial formation, 451
- Screening for late blight resistance, 45
- SDR, 642, 648-50, 653
- SDS, 547-8, 552
- Second division restitution, 641
- Second growth, 561
- Seed exports, 684-5
- Seed potato cultivars, 683
- Seed potato production, 684-5
- Seed spacing, 177-8, 181-88
- Seed treatment, 1
- Seedling marker "PP", 138
- Seeds per fruit, 475-9, 487-8, 644
- Serological detection, 97
- Serology, 679
- Shatter bruise, 561
- Soil compaction, 17
- Soil strength, 17-9, 20-1
- Soil texture, 17
- Solanaceae, 409
- Solin, 458
- Spaceflight crop, 465
- Species hybrids, 437
- Specific gravity, 116, 137, 165-6, 169, 172-3, 177, 181-3, 187, 255, 389-90, 401, 439, 446, 460, 571, 575, 579-85
- SPI, 678-9
- Sprinkler irrigation, 109
- Sprout cutting, 463
- Sprout growth, 430
- Sprouting, 329, 331, 577
- SSEM, 205-7
- Starch, 213-4
- Stem cutting, 439
- Stem number, 291-2, 294-5
- Stems/ha, 181
- Sterols, 442
- Stomatal behavior, 301
- Stomatal conductance, 304-5
- Stomatal resistance, 301, 303
- Storage, 213, 256
- Stress, 601
- Subapical necrosis, 120
- Suberization, 1
- Sub-soiling, 19, 24
- Sucrose, 213-4, 219-20, 222, 224, 460
- Sucrose concentration, 569-74
- Sucrose esters, 529-32
- Sudan III, 4
- Sugar content, 460
- Sugar waste water, 444
- Susceptibility, 69
- Symptoms, 69
- Tackle-Scal Uter, 439
- Taxonomic relationships, 534
- TGA, 432-3
- Tissue culture, 435, 463, 535, 680

UNI MICROFILMS INC
33 N. ZEEB ROAD
ANN ARBOR, MI.

(C)

48103

S

728

AMERICAN POTATO JOURNAL

(Vol. 64

- TLC, 287-90
TOC, 444
Tolerance, 600
Total solids, 397
TPS, 81, 83, 235-7, 321-2, 327, 440, 452,
483-4, 482-8, 599
TPS in China, 323, 326
TPS vigor, 452
Translocation, 517
True seed quality, 483
True seed weight, 483, 488, 490
TSS, 495, 502
Tuber appearance, 389, 390, 461
Tuber brown rot, 465
Tuber characteristics, 116
Tuber damage, 406
Tuber discoloration, 450
Tuber dormancy, 57, 446
Tuber fresh weight, 539
Tuber grade, 109, 124-5, 291
Tuber growth, 245, 248
Tuber numbers, 540
Tuber productivity, 462
Tuber size, 113, 389-90
Tuber weight, 314, 537
Tuber yield, 81, 177
2n egg formation, 641-3, 645-9, 652
2n gametes, 36
2n pollen, 39, 40, 464, 466, 642, 652
2x x 2x, 642, 648, 653
2x x 4x crosses, 465, 641-3, 645, 647-50
Type A glandular trichome, 507, 509-10, 512-3,
529
Type B glandular trichome, 509-10, 512-3,
529-32, 534
Urea, 165-6, 168-74
Vapor pressure deficit, 301
Vapor resistance, 197
Vinamul, 111
Vine maturity, 390, 446
Virus concentration, 70-8, 459
Virus diseases, 601
Virus multiplication, 69
Virus spread, 517
VSS, 495-502
Water loss, 197, 204
Water stress, 17-8, 109, 115, 449
Weight loss, 576
Western blot, 553
Wound healing, 1, 4, 8, 197, 203
Wound periderm, 3-8
Yellow tuber flesh, 434
Yield, 23, 90, 109, 112, 119, 122, 124-5, 131-3,
165-7, 169-71, 179, 181-2, 184-6, 194-5,
250, 254, 291, 296-8, 315-6, 325, 355, 358-60,
362-4, 365-7, 389-90, 400, 429, 443-4, 456,
461, 463, 573-4
Yield model, 356-7
Yield of 20 TPS families, 84
Yield reduction, 437, 449, 456, 461, 656
Yield US #1, 114-5
Zero tolerance, 671, 677-8
Zone tillage, 452

4

3,

3,

5,

50,

6,